

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 60174972 0002

Berichtsnummer *Report No.:*

DE24VCEX 001

Genehmigungsinhaber *License Holder:*

Sedus Stoll Aktiengesellschaft
Christof-Stoll-Str. 1
79804 Dogern
Deutschland

Fertigungsstätte *Manufacturing Site:*

Sedus Stoll Aktiengesellschaft
Gewerbestr. 2
79804 Dogern
Deutschland

Prüfzeichen *Test Mark:*
Geprüft nach *Tested according to:*

DIN EN 1335-1/07.23

DIN EN 1335-2/04.19

DIN 4573/03.21

AfPS GS 2019:01 PAK

Geräteidentifikation
Product Identification
Produkt:

Working Chair

Product:
Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:

Type designation(s) are listed on the next page(s)

Technische Daten:

Office work chair Model series "se:kit"

Technical Data:

Kinetic Swing mechanism for a user weight up to 130 kg
Weight automat (P047) for a user weight up to 150 kg
Similar mechanism with individual weight adjustment (C33)
for a user weight up to 150 kg

Replaces certificate No. 60171546_0001 + _0002

Parent-ID: 0000043152

Gültig bis:

2029-02-06

Date of expiry:
Gültig ab:

2024-02-06

Valid from:
Ausstellungsdatum:

2024-02-07

Date of issue:
Zertifizierungsstelle:
Certification body:


Dipl.-Ing. F. Hövel

Translation

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Produkt und Fertigungsstätte erfüllen § 20 des
Produktsicherheitsgesetzes.
This certificate is based on our Testing and Certification Regulation.
The provisions of §20 Product Safety Act are complied with.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

www.tuv.com

 **TÜVRheinland®**
Precisely Right.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*
S 60174972 0002

Berichtsnummer *Report No.:*
DE24VCEX 001

Produkt *Product:* Working Chair

Modell *Type:* **Bezeichnung** *Designation:*
Office work chair Model serie "se:kit"

Model overview:

- sn-101: se:kit with medium upholstered backrest
- sn-102: se:kit with height-adjustable upholstered backrest
- sn-103: se:kit with high upholstered backrest

- sn-121: se:kit with medium membrane-covered backrest
- sn-122: se:kit with height-adjustable membrane-covered backrest
- sn-123: se:kit with high membrane-covered backrest

- sn-801: se:kit with medium upholstered backrest:
partially disassembled
- sn-821: se:kit with medium membrane-covered backrest:
partially disassembled


Product description:
Office work chair series in modular system with the following components:

- Seat height:**
 - Adjustable with gas spring
 - Sedolift III or
 - gas spring for counter version

- Mechanics:**
 - Kinetic-Swing mechanism
 - Similar mechanism with weight automatic and automatic seat tilt up to 5° (P047)
 - Similar mechanism with individual weight adjustment optionally with 5° seat tilt adjustment (C33)

- Seat:**
 - Standard seat (without/with 7 cm seat depth adjustment and auto-return)
 - Comfort seat (without/with 7 cm seat depth adjustment and auto-return)

- Backrest:**
 - with fully upholstered high (73 cm), medium (63 cm), height-adjustable (61 - 68 cm)
 - with membrane high (73 cm), medium (63 cm), height-adjustable (61 - 68 cm)



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 60174972 0002

Berichtsnummer *Report No.:*

DE24VCEX 001

Produkt *Product:* Working Chair

Modell *Type:* **Bezeichnung** *Designation:*

- Armrests:**
- 1-D armrests (adjustable in height)
 - 2-D armrest (adjustable in height and width - via the connection)
 - 2-D Design armrest adjustable in height and depth
 - 3-D armrests (adjustable in height, width - via the connection and depth)
 - 4-D armrests (adjustable in height, width - via the connection, depth and 360° rotatable)
 - 4-D armrests (adjustable in height, width - via the connection, depth and rotatable)
- Base:**
- 5-star base made of die-cast aluminum
 - 5-star base made of plastic
 - 5-star base for counter made of die-cast aluminum with foot ring
- Castor:**
- load dependent braked double castor Ø 65 mm, type "W"
 - load dependent braked double castor Ø 65 mm, type "H"
 - permanently braked double castor for counter version Ø 65 mm
- Accessories:**
- neck support & clothes hanger also available separately
 - lumbar support

All safety-relevant tests have been carried out according to DIN 4573 with a user weight up to 130/150 kg

